

POWERFUL STAINLESS STEEL CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 19.08.2024
5.3	20.03.2025	10712941-00019	Date of first issue: 11.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	POWERFUL STAINLESS STEEL CLEANER - 5 L
Product code	:	0893121205
Unique Formula Identifier (UFI)	:	AF9F-C0SG-6002-EQ7G

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Professional use product Cleaning agent, Detergent
Recommended restrictions on use	:	Not applicable

1.3 Details of the supplier of the safety data sheet

Company	:	Adolf Wuerth GmbH & Co. KG Reinhold-Würth-Str. 12-17 74653 Künzelsau
Telephone	:	+49 794015 0
Telefax	:	+49 794015 10 00

E-mail address of person : isi@wuerth.com responsible for the SDS

1.4 Emergency telephone number

+49 (0)6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

```
Classification (REGULATION (EC) No 1272/2008)
Not a hazardous substance or mixture.
```



POWERFUL STAINLESS STEEL CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 19.08.2024
5.3	20.03.2025	10712941-00019	Date of first issue: 11.05.2016

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Index-No.			
	Registration number			
3-Butoxypropan-2-ol	5131-66-8	Skin Irrit. 2; H315	>= 1 - < 10	
	225-878-4	Eye Irrit. 2; H319		
	603-052-00-8			
	01-2119475527-28			
Substances with a workplace exposure limit :				
(2-Methoxymethylethoxy)propanol	34590-94-8		>= 1 - < 10	
	252-104-2			
	01-2119450011-60			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical



POWERFUL STAINLESS STEEL CLEANER - 5 L

5.3	Revision Date: 20.03.2025	SDS Number: 10712941-00019	Date of last issue: 19.08.2024 Date of first issue: 11.05.2016
		advice.	
Prote	ction of first-aiders	and use the re	onders should pay attention to self-protection, ecommended personal protective equipment ential for exposure exists (see section 8).
lf inha	aled		nove to fresh air. ttention if symptoms occur.
In cas	se of skin contact	Remove conta Get medical a Wash clothing	tact, immediately flush skin with plenty of water. aminated clothing and shoes. ttention. before reuse. ean shoes before reuse.
In cas	se of eye contact		th water as a precaution. ttention if irritation develops and persists.
lf swa	allowed	Get medical a	DO NOT induce vomiting. ttention if symptoms occur. horoughly with water.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed cally and supportively.

Treatment	:	Treat symptomatic

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod-		Carbon oxides

Hazardous compustion prouarbon oxides Nitrogen oxides (NOx) ucts

5.3 Advice for firefighters

Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters		Use personal protective equipment.

븢 WÜRTH

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

POWERFUL STAINLESS STEEL CLEANER - 5 L

Version	Revision Date: 20.03.2025	SDS Number:	Date of last issue: 19.08.2024
5.3		10712941-00019	Date of first issue: 11.05.2016
Specif ods	ic extinguishing meth-	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. aged containers from fire area if it is safe to do

SECTION 6: Accidental release measures

6.1 Personal precautions, protec	tive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-------------------------	--

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.



POWERFUL STAINLESS STEEL CLEANER - 5 L

Versio 5.3	on	Revision Date: 20.03.2025		DS Number: 712941-00019	Date of last issue: 19.08.2024 Date of first issue: 11.05.2016
ŀ	Advice on safe handling		:	practice, based of sessment	of vapour or mist.
ŀ	Hygiene	measures	:	flushing systems	emical is likely during typical use, provide eye and safety showers close to the working g do not eat, drink or smoke. Wash contami- fore re-use.
7.2 C	onditio	ns for safe storage,	inc	luding any incom	patibilities
F	Require	ments for storage nd containers	:	• •	abelled containers. Store in accordance with
ŀ	Advice of	on common storage	:	No special restric	tions on storage with other products.
5	Storage	class (TRGS 510)	:	12	
5	Storage	period	:	24 Months	
	Recomr perature	nended storage tem-	:	> 5 °C	
7.3 S	pecific	end use(s)			
	Specific		:	No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
2,2',2''-	102-71-6	AGW (Inhalable	1 mg/m3	DE TRGS		
Nitrilotriethanol		fraction)	_	900		
	Peak-limit: excursion factor (category): 1;(I)					
	Further information: When there is compliance with the OEL and biological					
	tolerance values, there is no risk of harming the unborn child					
	MAK (inhalable 1 mg/m3 DE DFG M					
	fraction)					
	Peak-limit: excursion factor (category): 1; I					
	Further information: Damage to the embryo or foetus is unlikely when the					

븢 WÜRTH

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

POWERFUL STAINLESS STEEL CLEANER - 5 L

Version	Revision Date: 20.03.2025	SDS Number:	Date of last issue: 19.08.2024
5.3		10712941-00019	Date of first issue: 11.05.2016

	MAK value or the BAT value is observed						
(2-	34590-94-8	TWA 50 ppm 2000/39/I		2000/39/EC			
Methoxymeth-			308 mg/m3				
ylethoxy)propanol			-				
	Further inform	nation: Identifies the	possibility of significant uptak	through the			
	skin, Indicativ	skin, Indicative					
		AGW (Vapour 50 ppm DE TRGS					
		and aerosols)	310 mg/m3	900			
	Peak-limit: ex	Peak-limit: excursion factor (category): 1;(I)					
		MAK 50 ppm DE DFG MAK					
		310 mg/m3					
	Peak-limit: excursion factor (category): 1; I						
	Further information: Either there are no data for an assessment of damage to						
	the embryo or foetus, including developmental neurotoxicity, or the currently						
	available data	are not sufficient fo	r classification in one of the g	roups A - C			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
2,2',2"-Nitrilotriethanol	Workers	Skin contact	Long-term systemic effects	6,3 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	5 mg/m3
	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	3,1 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	1,25 mg/m3
	Consumers	Inhalation	Long-term systemic effects	1,25 mg/m3
(2- Methoxymethyleth- oxy)propanol	Workers	Inhalation	Long-term systemic effects	308 mg/m3
	Workers	Skin contact	Long-term systemic effects	238 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	37,2 mg/m3
	Consumers	Skin contact	Long-term systemic effects	121 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	36 mg/kg bw/day
3-Butoxypropan-2-ol	Workers	Inhalation	Long-term systemic effects	270,5 mg/m3
	Workers	Skin contact	Long-term systemic effects	44 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	33,8 mg/m3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



2,36 mg/kg

0,16 mg/kg

0,236 mg/kg

POWERFUL STAINLESS STEEL CLEANER - 5 L

rsion S	Revision Date: 20.03.2025		5 Num 12941		f last issue: 19.08.202 f first issue: 11.05.201	
		Consume	rs	Skin contact	Long-term systemic	: 16 mg/kg bw/day
Consumer		rs Ingestion		Long-term systemic effects	8,75 mg/kg bw/day	
Predi	icted No Effect Co	oncentratio	on (PN	EC) according to	Regulation (EC) No.	1907/2006
Subst	tance name		Envir	onmental Compart	ment	Value
2,2',2	"-Nitrilotriethanol		Fres	n water		0,32 mg/l
			Marir	ne water		0,032 mg/l
			Inter	mittent use/release		5,12 mg/l
			Sewa	age treatment plant	10 mg/l	
			Fres	n water sediment	1,7 mg/kg dry	
						weight (d.w.)
		Marir	ne sediment		0,17 mg/kg dry	
						weight (d.w.)
		Soil		0,151 mg/kg dr		
						weight (d.w.)
``	(2-		Fres	n water	19 mg/l	
Metho	oxymethylethoxy)p	ropanol				
				nwater - intermitten	t	190 mg/l
			Marir	ne sediment		1,9 mg/l
				age treatment plant	4168 mg/l	
			Fres	n water sediment		70,2 mg/kg dry
						weight (d.w.)
			Marir	ne sediment		7,02 mg/kg dry
						weight (d.w.)
			Soil			2,74 mg/kg dry
						weight (d.w.)
3-But	oxypropan-2-ol			n water		0,525 mg/l
				ne water		0,0525 mg/l
			Sewa	age treatment plant		10 mg/l

Fresh water sediment

Marine sediment

Soil

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipmer	ht
Eye/face protection	Wear the following personal protective equipment: Safety glasses Equipment should conform to DIN EN 166
Hand protection Material Break through time Glove thickness	Nitrile rubber > 60 min 0,35 mm



POWERFUL STAINLESS STEEL CLEANER - 5 L

Version 5.3	Revision Date: 20.03.2025		DS Number: 0712941-00019	Date of last issue: 19.08.2024 Date of first issue: 11.05.2016			
Remarks		:	: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufactur- er. Wash hands before breaks and at the end of workday.				
Skin and body protection		:	Skin should be washed after contact.				
Respiratory protection		:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Filter should conform to DIN EN 14387				
Filter type		:	Organic vapour ty	/ре (А)			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	clear
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/freezing point	:	0°C
Initial boiling point and boiling range	:	100 °C
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available



POWERFUL STAINLESS STEEL CLEANER - 5 L

Ver 5.3	sion	Revision Date: 20.03.2025		S Number: 712941-00019	Date of last issue: 19.08.2024 Date of first issue: 11.05.2016
	Flash point		:	No data available	e
	Auto-ignition temperature Decomposition temperature		:	No data available	9
			:	No data available	9
	рН		:	9,3 Concentration: 1	00 %
	Viscos Vise	ity cosity, kinematic	:	No data available	9
		ity(ies) ter solubility	:	completely misci	ble
		on coefficient: n- I/water	:	Not applicable	
	Vapou	r pressure	:	23 hPa (20 °C)	
	Densit	у	:	1,005 - 1,015 g/c	cm³ (20 °C)
	Relativ	e vapour density	:	No data available	9
		e characteristics ticle size	:	Not applicable	
9.2	Other in Explos	nformation ives	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Evapo	ration rate	:	No data available	9



POWERFUL STAINLESS STEEL CLEANER - 5 L

Version Revision Date: 5.3 20.03.2025

SDS Number: 10712941-00019 Date of last issue: 19.08.2024 Date of first issue: 11.05.2016

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	None known.
---------------------	---	-------------

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Acids

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Components:

_ _

3-E	Butox	ypro	pan-2-ol:	

Acute oral toxicity	LD50 (Rat): 3.300 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	LC50 (Rat): > 3,52 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity



POWERFUL STAINLESS STEEL CLEANER - 5 L

Version 5.3	Revision Date: 20.03.2025	SDS Number: 10712941-00019		Date of last issue: 19.08.2024 Date of first issue: 11.05.2016	
(2-Me	ethoxymethylethoxy)p	oropa	inol:		
Acute	e oral toxicity	:	LD50 (Rat): > 5.0	00 mg/kg	
Acute inhalation toxicity		:	: LC50 (Rat): > 1,667 mg/l Exposure time: 7 h Test atmosphere: dust/mist		
Acute	e dermal toxicity	:	LD50 (Rabbit): 9.	510 mg/kg	
Skin	corrosion/irritation				

Skin corrosion/irritation

Not classified based on available information.

Components:

3-Butoxypropan-2-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

(2-Methoxymethylethoxy)propanol:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

3-Butoxypropan-2-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 7 days

(2-Methoxymethylethoxy)propanol:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

3-Butoxypropan-2-ol:

Test Type	:	Buehler Test
-----------	---	--------------

Remarks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



POWERFUL STAINLESS STEEL CLEANER - 5 L

Vers 5.3	sion	Revision Date: 20.03.2025		DS Number: 712941-00019	Date of last issue: 19.08.2024 Date of first issue: 11.05.2016	
	Exposu Specie Methoo Result			Skin contact Guinea pig OECD Test Guide negative	eline 406	
	(2-Methoxymethylethoxy)propa		inol:			
	Test Ty Exposi Specie Result	ure routes	:	Human repeat ins Skin contact Humans negative	sult patch test (HRIPT)	
		cell mutagenicity ssified based on availa	able	information.		
	Compo	onents:				
	3-Buto	xypropan-2-ol:				
		oxicity in vitro	:	Test Type: Chron Result: negative	nosome aberration test in vitro	
				Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative		
				Test Type: In vitro mammalian cell gene mutation te Result: negative		
	(2-Methoxymethylethoxy)propa		unol:			
	•	oxicity in vitro	:		rial reverse mutation assay (AMES)	
				Test Type: Chron Result: negative	nosome aberration test in vitro	
				Test Type: Saach assay (in vitro) Result: negative	aromyces cerevisiae, miotic recombination	
	Carcin	ogenicity				
		ssified based on availa	able	information.		
	Compo	onents:				
	3-Buto	xypropan-2-ol:				
	Specie	s	:	Rat		
		ation Route	:	inhalation (vapou	r)	
		ure time	:	2 Years	aline 452	
	Methoo Result	L	:	OECD Test Guide negative	enne 453	
	_		-			

: Based on data from similar materials



POWERFUL STAINLESS STEEL CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 19.08.2024
5.3	20.03.2025	10712941-00019	Date of first issue: 11.05.2016

(2-Methoxymethylethoxy)propanol:

Species :	:	Rat
Application Route :	:	inhalation (vapour)
Exposure time :	:	2 Years
Method :	:	OECD Test Guideline 453
Result :	:	negative
Remarks :	:	Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

3-Butoxypropan-2-ol:

Effects on fertility :	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on foetal develop- : ment	Test Type: Embryo-foetal development Species: Rat Application Route: Skin contact Method: OECD Test Guideline 414 Result: negative

(2-Methoxymethylethoxy)propanol:

Effects on fertility :	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on foetal develop- : ment	Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.



POWERFUL STAINLESS STEEL CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 19.08.2024
5.3	20.03.2025	10712941-00019	Date of first issue: 11.05.2016

Repeated dose toxicity

Components:

3-Butoxypropan-2-ol:

Species	:	Rat
NOAEL	:	350 mg/kg
LOAEL	:	1.000 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Method	:	OECD Test Guideline 408

(2-Methoxymethylethoxy)propanol:

Species NOAEL Application Route Exposure time	:	Rat 1,21 mg/l inhalation (vapour) 13 Weeks
Species NOAEL Application Route Exposure time	:	Rat 1.000 mg/kg Ingestion 4 Weeks
Species NOAEL Application Route Exposure time	:	Rabbit 2.850 mg/kg Skin contact 90 Days

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

3-Butoxypropan-2-ol:



POWERFUL STAINLESS STEEL CLEANER - 5 L

Vers 5.3	sion	Revision Date: 20.03.2025		9S Number: 712941-00019	Date of last issue: 19.08.2024 Date of first issue: 11.05.2016		
Toxicity to fish		:	LC50 (Poecilia reticulata (guppy)): > 560 mg/l Exposure time: 96 h Method: OECD Test Guideline 203				
Toxicity to daphnia and other aquatic invertebrates		:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te				
	Toxicity plants	v to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l Exposure time: 96 h			
				NOEC (Pseudokin mg/l Exposure time: 96	chneriella subcapitata (green algae)): 560 Sh		
	Toxicity	to microorganisms	:	EC50 : > 1.000 m Exposure time: 3 Method: OECD Te	ĥ		
	(2-Meth	noxymethylethoxy)pro	opa	nol:			
	Toxicity		:				
		v to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 1.919 mg/l 3 h		
	Toxicity plants	v to algae/aquatic	:	ErC50 (Pseudokir mg/l Exposure time: 72 Method: OECD Te			
				NOEC (Pseudokin mg/l Exposure time: 72 Method: OECD Te			
	Toxicity	to microorganisms	:	EC50 (Pseudomo Exposure time: 18	nas putida): 4.168 mg/l 3 h		
		to daphnia and other invertebrates (Chron- ty)	:	NOEC: >= 0,5 mg Exposure time: 22 Species: Daphnia			
12.2	Persist	tence and degradabil	ity				
	Compo	onents:					
	3-Buto	xypropan-2-ol:					

Biodegradability

: Result: Readily biodegradable.



POWERFUL STAINLESS STEEL CLEANER - 5 L

Version 5.3	Revision Date: 20.03.2025	SDS Number: 10712941-00019	Date of last issue: 19.08.2024 Date of first issue: 11.05.2016
		Biodegradation: Exposure time: 2 Method: OECD	
(2-Me	ethoxymethylethoxy)	propanol:	
Biode	egradability	: Result: Readily Biodegradation: Exposure time: 2 Method: OECD	76 %
12.3 Bioa	ccumulative potentia	I	
Com	ponents:		
3-But	toxypropan-2-ol:		
	ion coefficient: n- ol/water	: log Pow: 1,2	
(2-Me	ethoxymethylethoxy)	propanol:	
	ion coefficient: n- ol/water	: log Pow: 0,004	
12.4 Mobi	lity in soil		
	ata available		
	Ilts of PBT and vPvB	assessment	
Prod		This substance	miuture containe no componente considerad
ASSet	ssment	to be either pers	mixture contains no components considered istent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Endo	ocrine disrupting pro	perties	
Prod	uct:		
	ssment	ered to have end REACH Article 5	nixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at r higher.
12.7 Othe	r adverse effects		
No da	ata available		

13.1 Waste treatment methods



POWERFUL STAINLESS STEEL CLEANER - 5 L

Version 5.3	Revision Date: 20.03.2025	SDS Number:Date of last issue: 19.08.202410712941-00019Date of first issue: 11.05.2016			
Product		Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Code are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.			
Contaminated packaging		: Empty containers should be taken to an approved was dling site for recycling or disposal. If not otherwise specified: Dispose of as unused produ			
Waste Code		: The following Waste Codes are only suggestions:			
		used product 20 01 30, detergents other than those mentioned in 20	01 29		
		unused product 20 01 30, detergents other than those mentioned in 20	01 29		
		uncleaned packagings 15 01 06, mixed packaging			
		Acc. Packaging Act properly emptied packaging: Properly emptied, non-contaminated packaging of nor hazardous products can be supplied to a system for the lection of sales packaging.			

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

14.3 Transport hazard class(es)

븢 WÜRTH

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

POWERFUL STAINLESS STEEL CLEANER - 5 L

Versio 5.3	on	Revision Date: 20.03.2025		DS Number: 0712941-00019	Date of last issue: 19.08.2024 Date of first issue: 11.05.2016				
A	ADN		:	Not regulated as	a dangerous good				
A	ADR			: Not regulated as a dangerous good					
RID : Not regulated as a dangerous good				a dangerous good					
I	MDG		:	Not regulated as	a dangerous good				
L	ΑΤΑ		:	Not regulated as	a dangerous good				
14.4 F	Packir	ng group							
A	ADN		:	Not regulated as	a dangerous good				
A	ADR		:	Not regulated as	a dangerous good				
F	RID		:	Not regulated as	a dangerous good				
I	MDG		:	Not regulated as	a dangerous good				
L	ATA (Cargo)	:	Not regulated as	a dangerous good				
L	ATA (Passenger)	:	Not regulated as	a dangerous good				
14.5 E	Enviro	nmental hazards							
Not regulated as a dangerous good									
14.6 Special precautions for use Not applicable			er						

- 14.7 Maritime transport in bulk according to IMO instruments
 - Remarks

: Not applicable for product as supplied.

÷

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

> Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

> Conditions of restriction for the following entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.



POWERFUL STAINLESS STEEL CLEANER - 5 L

Vers 5.3	sion	Revision Date: 20.03.2025		DS Number: 712941-00019			last issue: 19.08.2024 first issue: 11.05.2016
		H - Candidate List of Su n for Authorisation (Art			ı	:	Not applicable
	Regulation (EU) No 2024/590 on substances that de plete the ozone layer						Not applicable
	Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)						Not applicable
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals							Not applicable
REACH - List of substances subject to authorisation : Not applicable (Annex XIV)						Not applicable	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the contro major-accident hazards involving dangerous substances. Not applicable						and of the Council on the control of	
	Water ny)	hazard class (Germa-	:	WGK 1 slightly ha Classification acc			to water AwSV, Annex 1 (5.2)
	TA Luf	t List (Germany)	:	5.2.5: Organic Su Class 1: 0,15 % E			
	Volatile	e organic compounds	:	livestock rearing e and control)	emis omp	sion	4 November 2010 on industrial and s (integrated pollution prevention ds (VOC) content: 4,15 %, 41,9 g/l cluding water
		tion (EC) No. 04, as amended	:	less than 5 %: An ycarboxylates	ionio	c sur	factants, Non-ionic surfactants, Pol-
	Other	regulations:					

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Contains a substance which is subject to the TRGS 907 : Ethanolamine list of sensitizing substances.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information



POWERFUL STAINLESS STEEL CLEANER - 5 L

Version 5.3	Revision Date: 20.03.2025		0S Number: 712941-00019	Date of last issue: 19.08.2024 Date of first issue: 11.05.2016		
Other i	Other information		Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.			
Full te	Full text of H-Statements H315 H319 Full text of other abbreviation					
			Causes skin irritation.Causes serious eye irritation.			
Full te						
DE TR 2000/3 DE DF	it.		list of indicative of Germany. MAK B	900 - Occupational exposure limit values. t hours		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative



POWERFUL STAINLESS STEEL CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 19.08.2024
5.3	20.03.2025	10712941-00019	Date of first issue: 11.05.2016

Further information

Sources of key data used to : compile the Safety Data Sheet Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN